

CPST

Test Report

No. C21

Date: XX. 2021

Page 1 of 7

Applicant: XX

Applicant Address: XX

The following samples were submitted and identified on behalf of the clients as

Sample Name: XX
Model (EAN Code): XX
Manufacturer: XX
Manufactured Address: XX
CPST Internal Reference No.: C21XX
Sample Received Date: XX. 2021
Test Period: XX. 2021 to XX. 2021
Test Method: Please refer to next pages.
Test Result: Please refer to next pages.

CONCLUSION :

<u>TESTED SAMPLES</u>	<u>TEST ITEM</u>	<u>RESULT</u>
	1. The entry 75 in Annex XVII of the REACH Regulation (EC) NO.1907/2006	PASS

Signed for and on behalf of
Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples. invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

ENIGMA

Test Result(s):

Description of Specimen :

1. The entry 75 in Annex XVII of the REACH Regulation (EC) NO.1907/2006

Test Method: analysis was performed by Inductively coupled plasma emission spectrometer (ICP-OES). Gas Chromatograph-Mass Spectrometer (GC-MS). Inductively coupled plasma source mass spectrometer (ICP-MS). Ion Chromatograph(IC).High performance liquid chromatograph (HPLC).Liquid Chromatograph Mass Spectrometer (LC-MS).

Test Items	CAS No	Unit	Result	MDL	Limit
Mercury(Hg)	7439-97-6	%	N.D.	0.000005	0.00005
Nickel(Ni)	7440-02-0	%	N.D.	0.00005	0.0005
Organometallic tin	7440-31-5	%	N.D.	0.000005	0.00005
Antimony(Sb)	7440-36-0	%	N.D.	0.000005	0.00005
Arsenic(As)	7440-38-2	%	N.D.	0.000005	0.00005
Barium (Ba)**	7440-39-3	%	N.D.	0.005	0.05
Cadmium(Cd)	7440-43-9	%	N.D.	0.000005	0.00005
Chromium(Cr)	7440-47-3	%	N.D.	0.000005	0.00005
Cobalt(Co)	7440-48-4	%	N.D.	0.000005	0.00005
Copper (Cu)**	7440-50-8	%	N.D.	0.0025	0.025
Zinc(Zn) **	7440-66-6	%	N.D.	0.02	0.2
Lead(Pb)	7439-92-1	%	N.D.	0.000007	0.00007
Selenium(Se)	7782-49-2	%	N.D.	0.00002	0.0002
Benzo[a]pyrene(Bap)	50-32-8. 63466-71-7	%	N.D.	0.00000005	0.0000005
Polycyclic-aromatic Hydrocarbons (PAH). classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen or germ cell mutagen category 1A. 1B or 2	--	%	N.D.	0.000005 (individual concentrations)	0.00005 (individual concentrations)

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples. invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

CPST

Test Report

No. C21

Date: XX. 2021

Page 4 of 7

Test Items	CAS No	Unit	Result	MDL	Limit
Methanol	67-56-1	%	N.D.	1.0	11
o-Anisidine **	90-04-0	%	N.D.	0.00005	0.0005
o-toluidine **	95-53-4	%	N.D.	0.00005	0.0005
3,3'-dichlorobenzidine **	91-94-1	%	N.D.	0.00005	0.0005
4-methyl-m-phenylenediamine **	95-80-7	%	N.D.	0.00005	0.0005
4-chloroaniline **	106-47-8	%	N.D.	0.00005	0.0005
5-nitro-o-toluidine **	99-55-8	%	N.D.	0.00005	0.0005
3,3'-dimethoxybenzidine **	119-90-4	%	N.D.	0.00005	0.0005
4,4'-bi-o-toluidine **	119-93-7	%	N.D.	0.00005	0.0005
4,4'-Thiodianiline **	139-65-1	%	N.D.	0.00005	0.0005
4-chloro-o-toluidine **	95-69-2	%	N.D.	0.00005	0.0005
2-naphthylamine **	91-59-8	%	N.D.	0.00005	0.0005
Aniline **	62-53-3	%	N.D.	0.00005	0.0005
Benzidine **	92-87-5	%	N.D.	0.00005	0.0005
p-toluidine **	106-49-0	%	N.D.	0.00005	0.0005
2-methyl-p-phenylenediamine **	95-70-5	%	N.D.	0.00005	0.0005
Biphenyl-4-ylamine **	92-67-1	%	N.D.	0.00005	0.0005
4-o-tolylazo-o-toluidine **	97-56-3	%	N.D.	0.00005	0.0005
4-methoxy-m-phenylenediamine **	615-05-4	%	N.D.	0.00005	0.0005
4,4'-methylenedianiline **	101-77-9	%	N.D.	0.00005	0.0005
4,4'-methylenedi-o-toluidine **	838-88-0	%	N.D.	0.00005	0.0005
6-methoxy-m-toluidine **	120-71-8	%	N.D.	0.00005	0.0005
4,4'-methylene-bis-[2-chloroaniline] **	101-14-4	%	N.D.	0.00005	0.0005

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples. Invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Test Items	CAS No	Unit	Result	MDL	Limit
4.4'-oxydianiline **	101-80-4	%	N.D.	0.00005	0.0005
2.4.5-trimethylaniline **	137-17-7	%	N.D.	0.00005	0.0005
4-Aminoazobenzene **	60-09-3	%	N.D.	0.00005	0.0005
p-Phenylenediamine **	106-50-3	%	N.D.	0.00005	0.0005
Sulphanilic acid **	121-57-3	%	N.D.	0.00005	0.0005
4-amino-3-fluorophenol **	399-95-1	%	N.D.	0.00005	0.0005
2.6-xylidine	87-62-7	%	N.D.	0.00005	0.0005
6-amino-2-ethoxynaphthaline	293733-21-8	%	N.D.	0.00005	0.0005
2.4-xylidine	95-68-1	%	N.D.	0.00005	0.0005
Pigment Red 7 (PR7)/CI 12420	6471-51-8	%	N.D.	0.01	0.1
Pigment Red 9(PR9)/CI 12460	6410-38-4	%	N.D.	0.01	0.1
Pigment Red 15 (PR15)/CI 12465	6410-39-5	%	N.D.	0.01	0.1
Pigment Red 210(PR210)/CI 12477	61932-63-6	%	N.D.	0.01	0.1
Pigment Orange 74 (PO74)	85776-14-3	%	N.D.	0.01	0.1
Pigment Yellow 65 (PY65)/CI 11740	6528-34-3	%	N.D.	0.01	0.1
Pigment Yellow 74 (PY74)/CI 11741	6358-31-2	%	N.D.	0.01	0.1
Pigment Red 12 (PR12)/CI 12385	6410-32-8	%	N.D.	0.01	0.1
Pigment Red 14 (PR14)/CI 12380	6471-50-7	%	N.D.	0.01	0.1
Pigment Red 17 (PR17)/CI 12390	6655-84-1	%	N.D.	0.01	0.1
Pigment Red 112 (PR112)/CI 12370	6535-46-2	%	N.D.	0.01	0.1

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples. Invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Test Items	CAS No	Unit	Result	MDL	Limit
4.4'-oxydianiline **	101-80-4	%	N.D.	0.00005	0.0005
2.4.5-trimethylaniline **	137-17-7	%	N.D.	0.00005	0.0005
4-Aminoazobenzene **	60-09-3	%	N.D.	0.00005	0.0005
p-Phenylenediamine **	106-50-3	%	N.D.	0.00005	0.0005
Sulphanilic acid **	121-57-3	%	N.D.	0.00005	0.0005
4-amino-3-fluorophenol **	399-95-1	%	N.D.	0.00005	0.0005
2.6-xylidine	87-62-7	%	N.D.	0.00005	0.0005
6-amino-2-ethoxynaphthaline	293733-21-8	%	N.D.	0.00005	0.0005
2.4-xylidine	95-68-1	%	N.D.	0.00005	0.0005
Pigment Red 7 (PR7)/CI 12420	6471-51-8	%	N.D.	0.01	0.1
Pigment Red 9(PR9)/CI 12460	6410-38-4	%	N.D.	0.01	0.1
Pigment Red 15 (PR15)/CI 12465	6410-39-5	%	N.D.	0.01	0.1
Pigment Red 210(PR210)/CI 12477	61932-63-6	%	N.D.	0.01	0.1
Pigment Orange 74 (PO74)	85776-14-3	%	N.D.	0.01	0.1
Pigment Yellow 65 (PY65)/CI 11740	6528-34-3	%	N.D.	0.01	0.1
Pigment Yellow 74 (PY74)/CI 11741	6358-31-2	%	N.D.	0.01	0.1
Pigment Red 12 (PR12)/CI 12385	6410-32-8	%	N.D.	0.01	0.1
Pigment Red 14 (PR14)/CI 12380	6471-50-7	%	N.D.	0.01	0.1
Pigment Red 17 (PR17)/CI 12390	6655-84-1	%	N.D.	0.01	0.1
Pigment Red 112 (PR112)/CI 12370	6535-46-2	%	N.D.	0.01	0.1

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples. Invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

CPST

Test Report

No. C21

Date: XX. 2021

Page 6 of 7

Test Items	CAS No	Unit	Result	MDL	Limit
Pigment Yellow 14 (PY14)/CI 21095	5468-75-7	%	N.D.	0.01	0.1
Pigment Yellow 55 (PY55)/CI 21096	6358-37-8	%	N.D.	0.01	0.1
Pigment Red 2 (PR2)/CI 12310	6041-94-7	%	N.D.	0.01	0.1
Pigment Red 22 (PR22)/CI 12315	6448-95-9	%	N.D.	0.01	0.1
Pigment Red 146 (PR146)/CI 12485	5280-68-2	%	N.D.	0.01	0.1
Pigment Red 269 (PR269)/CI 12466	67990-05-0	%	N.D.	0.01	0.1
Pigment Orange16 (PO16)/CI 21160	6505-28-8	%	N.D.	0.01	0.1
Pigment Yellow 1 (PY1)/CI 11680	2512-29-0	%	N.D.	0.01	0.1
Pigment Yellow 12 (PY12)/CI 21090	6358-85-6	%	N.D.	0.01	0.1
Pigment Yellow 87 (PY87)/CI 21107	15110-84-6	%	N.D.	0.01	0.1
Pigment Yellow 97 (PY97)/CI 11767	12225-18-2	%	N.D.	0.01	0.1
Pigment Orange 13 (PO13)/CI 21110	3520-72-7	%	N.D.	0.01	0.1
Pigment Orange 34 (PO34)/CI 21115	15793-73-4	%	N.D.	0.01	0.1
Pigment Yellow 83 (PY83)/CI 21108	5567-15-7	%	N.D.	0.01	0.1
Solvent Red 1 (SR1)/CI 12150	1229-55-6	%	N.D.	0.01	0.1
Acid Orange 24 (AO24)/CI 20170	1320-07-6	%	N.D.	0.01	0.1
Solvent Red 23 (SR23)/CI 26100	85-86-9	%	N.D.	0.01	0.1
Acid Red 73 (AR73)/CI 27290	5413-75-2	%	N.D.	0.01	0.1

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples. Invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out. It will not be accepted after this date.

ENIGMA

CPST

Test Report

No. C21

Date: XX. 2021

Page 7 of 7

Test Items	CAS No	Unit	Result	MDL	Limit
Disperse Yellow 3/CI 11855	2832-40-8	%	N.D.	0.01	0.1
Acid Green 16	12768-78-4	%	N.D.	0.01	0.1
Acid Red 26	3761-53-3	%	N.D.	0.01	0.1
Acid Violet 17	4129-84-4	%	N.D.	0.01	0.1
Basic Red 1	989-38-8	%	N.D.	0.01	0.1
Disperse Blue 106	12223-01-7	%	N.D.	0.01	0.1
Disperse Blue 124	61951-51-7	%	N.D.	0.01	0.1
Disperse Blue 35	12222-75-2	%	N.D.	0.01	0.1
Disperse Orange 37	12223-33-5	%	N.D.	0.01	0.1
Disperse Red 1	2872-52-8	%	N.D.	0.01	0.1
Disperse Red 17	3179-89-3	%	N.D.	0.01	0.1
Disperse Yellow 9	6373-73-5	%	N.D.	0.01	0.1
Pigment Violet 3	1325-82-2	%	N.D.	0.01	0.1
Pigment Violet 39	64070-98-0	%	N.D.	0.01	0.1
Solvent Yellow 2	60-11-7	%	N.D.	0.01	0.1
** Soluble Chromium VI					

Note:

1. % = percentage by weight.
2. 0.0001% = 1 mg/kg.
3. MDL = Method Detection Limit.
4. N.D. = Not Detected (< MDL).

Remark: As specified by applicant. to test content in the selected materials of the submitted samples. The test results are only responsible for the submitted sample.

*** End of Report ***

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples. invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out. it will not be accepted after this date.

ENIGMA